

In re: Hild et al.
Serial No.: 09/532,937
Filed: March 22, 2000
Page 2 of 9

The listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

- 5.17
dc
1. (Currently Amended) In a networked environment, a method for designating client properties comprising:
receiving a link element associated with a server, the link element including a plurality of requested client properties, the plurality of requested client properties being less than all available client properties;
selecting said link element to request a document identified by the link element to be transmitted to a client; and
inserting at least one of said plurality of requested client properties into the request so as to allow customization of the requested document identified by the link element based on the inserted at least one of said plurality of requested client properties.
 2. (Original) The method of Claim 1, wherein said plurality of requested client properties is contained within an attribute of said link element.
 3. (Original) The method of Claim 2, wherein said attribute is a PROFILEATTRS attribute.
 4. (Original) The method of Claim 1, wherein each one of said requested client properties comprises a category, a separator, and a property name.
 5. (Original) The method of Claim 1, wherein said plurality of requested client properties includes at least one property that is a wild card.
 6. (Original) The method of Claim 1, wherein said plurality of requested client properties includes at least one property that is designated as a mandatory property.
 7. (Previously Presented) The method of Claim 1, wherein said step of inserting comprises the steps of:

In re: Hild et al.
Serial No.: 09/532,937
Filed: March 22, 2000
Page 3 of 9

selecting ones of the plurality of requested client properties; and
determining whether selected ones of the plurality of requested client properties are
available to be transmitted.

8. (Previously Presented) The method of Claim 7, wherein said step of selecting
further comprises expanding a wild card property.

9. (Previously Presented) The method of Claim 7, wherein said step of determining
further comprises prompting a user whether to transmit the selected ones of the plurality of
requested client properties.

10. (Original) The method of Claim 7, further comprising the step of terminating the
request if a mandatory property is not available to be transmitted.

11. (Currently Amended) In a networked environment, a system for designating
client properties comprising:

means for receiving a link element associated with a server, the link element including
a plurality of requested client properties, the plurality of requested client properties being less
than all available client properties;

means for selecting said link element to request a document identified by the link
element to be transmitted to a client; and

means for inserting at least one of said plurality of requested client properties into the
request so as to allow customization of the requested document identified by the link element
based on the inserted at least one of said plurality of requested client properties.

12. (Original) The system of Claim 11, wherein said plurality of requested client
properties is contained within an attribute of said link element.

13. (Original) The system of Claim 12, wherein said attribute is a PROFILEATTRS
attribute.

In re: Hild et al.
Serial No.: 09/532,937
Filed: March 22, 2000
Page 4 of 9

14. (Original) The system of Claim 11, wherein each one of said requested client properties comprises a category, a separator, and a property name.

15. (Original) The system of Claim 11, wherein said plurality of requested client properties includes at least one property that is a wild card.

16. (Original) The system of Claim 11, wherein said plurality of requested client properties includes at least one property that is designated as a mandatory property.

17. (Previously Presented) The system of Claim 11, wherein said means for inserting comprises:

means for selecting ones of the plurality of requested client properties; and

means for determining whether selected ones of the plurality of requested client properties are available to be transmitted.

18. (Previously Presented) The system of Claim 17, wherein said means for selecting further comprises means for expanding a wild card property.

19. (Previously Presented) The system of Claim 17, wherein said means for determining further comprises means for prompting a user whether to transmit the selected ones of the plurality of requested client properties.

20. (Original) The system of Claim 17, further comprising means for terminating the request if a mandatory property is not available to be transmitted.

In re: Hild et al.
Serial No.: 09/532,937
Filed: March 22, 2000
Page 5 of 9

Sub E 7

21. (Currently Amended) In a networked environment, a computer program product recorded on computer readable medium for designating client properties comprising:

computer readable means for receiving a link element associated with a server, the link element including a plurality of requested client properties, the plurality of requested client properties being less than all available client properties;

computer readable means for selecting said link element to request a document identified by the link element to be transmitted to a client; and

computer readable means for inserting at least one of said plurality of requested client properties into the request so as to allow customization of the requested document identified by the link element based on the inserted at least one of said plurality of requested client properties.

22. (Original) The program product of Claim 21, wherein said plurality of requested client properties is contained within an attribute of said link element.

23. (Original) The program product of Claim 22, wherein said attribute is a PROFILEATTRS attribute.

24. (Original) The program product of Claim 21, wherein each one of said requested client properties comprises a category, a separator, and a property name.

25. (Original) The program product of Claim 21, wherein said plurality of requested client properties includes at least one property that is a wild card.

26. (Original) The program product of Claim 21, wherein said plurality of requested client properties includes at least one property that is designated as a mandatory property.

In re: Hild et al.
Serial No.: 09/532,937
Filed: March 22, 2000
Page 6 of 9

27. (Previously Presented) The program product of Claim 21, wherein said computer readable means for inserting comprises:

computer readable means for selecting ones of the plurality of requested client properties; and

computer readable means for determining whether selected ones of the plurality of requested client properties are available to be transmitted.

28. (Previously Presented) The program product of Claim 27, wherein said computer readable means for selecting further comprises computer readable means for expanding a wild card property.

29. (Previously Presented) The program product of Claim 27, wherein said computer readable means for determining further comprises computer readable means for prompting a user whether to transmit the selected ones of the plurality of requested client properties.

30. (Original) The program product of Claim 27, further comprising computer readable means for terminating the request if a mandatory property is not available to be transmitted.

31. (Canceled).

32. (Previously Presented) The method of Claim 1, wherein at least one of the plurality of requested client properties is associated with hardware characteristics of the client.

33. (Canceled).

34. (Previously Presented) The system of Claim 11, wherein at least one of the

In re: Hild et al.
Serial No.: 09/532,937
Filed: March 22, 2000
Page 7 of 9

Sub E' 7
C
plurality of requested client properties is associated with hardware characteristics of the client.

35. (Canceled).

36. (Previously Presented) The program product of Claim 21, wherein at least one of the plurality of requested client properties is associated with hardware characteristics of the client.
